



Web Images Video News Maps more »

(common probe) and ((ABC transporter) or M

Search

Advanced Scholar Search  
Scholar Preferences  
Scholar Help

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar All articles - Recent articles Results 1 - 10 of about 58 for (common probe) and ((ABC transporter) or M

[Expression of the neural cell adhesion molecule CD56 is not associated with P-glycoprotein ... - all 4 versions »](#)

A Subvarnasankha, H Minderman, KL O'Loughlin, SNJ ... - Leukemia Research, 2004 - Elsevier  
... on chromosome 16 encoding ABC proteins has ... dual color break apart rearrangement probe  
(YSIS, Downers ... statistical analyses performed are common approaches, and ...

Cited by 3 - Related Articles - Web Search

[Multidrug resistance genes in infant acute lymphoblastic leukemia: Ara-C is not a substrate for the ... - all 3 versions »](#)

RW Stam, MM van den Heuvel-Eibrink, ML den Boer, ... - Leukemia, 2004 - nature.com  
... is not a member of the ABC transporter family. ... infant ALL patients had a common-ALL  
immunophenotype ... Primers and probe combinations, reported previously, 17 were ...

Cited by 18 - Related Articles - Web Search - BL Direct

[Drug resistance in hematologic malignancies. - all 2 versions »](#)

JP Marie - Current Opinion in Oncology, 2001 - co-oncology.com  
... Figure 1. Common structure of ABC protein involved in drug resistance ABC, ATP binding ...  
test, the author proposes the use of JC1, a probe developed for ...

Cited by 35 - Related Articles - Web Search - BL Direct

[Disruption of the Murine Major Vault Protein \(MVP/LRP\) Gene Does Not Induce Hypersensitivity to ... - all 5 versions »](#)

MH Mossink, A van Zon, E Franzel-Luiten, M ... - Cancer Research, 2002 - AACR  
... blot hybridized with a control 18 S rRNA probe. ... LH Vaults and telomerase share a  
common subunit, TEP1. ... cells: demonstration of homology to ABC transport genes. ...

Cited by 40 - Related Articles - Web Search - BL Direct

[From MDR to MXR: new understanding of multidrug resistance systems, their properties and clinical ... - all 2 versions »](#)

T Litman, TE Druley, WD Stein, SE Bates - Cellular and Molecular Life Sciences (CMLS), 2001 - Springer  
... employed the use of INA, a photolabile lipophilic membrane probe, which was ... From  
MDR to MXR ... a drug, which is being pumped by a particular ABC transporter, ie a ...

Cited by 211 - Related Articles - Web Search - BL Direct

[A very early induction of major vault protein accompanied by increased drug resistance in U-937 ... - all 4 versions »](#)

Y Hu, AG Stephen, J Cao, LR Tanzer, CA Slapak, SD ... - International Journal of Cancer, 2002 - doi.wiley.com  
... 50 values thus implicating these ATP binding cassette (ABC) drug transporters in  
the ... The membrane was hybridized with a randomly primed human vRNA probe. ...

Cited by 14 - Related Articles - Web Search - BL Direct

[Amplification of 4 q 21-q 22 and the MXR gene in independently derived mitoxantrone-resistant cell ... - all 3 versions »](#)

T Knutsen, VK Rao, T Ried, L Mickley, E Schneider, ... - Genes Chromosomes and Cancer, 2000 - doi.wiley.com  
... with the hypothesis of a common transporter, presumably that ... with WCP 4 spectrum  
green; the MXR probe was directly ... tion of the human ABC superfamily: isolation ...

Cited by 42 - Related Articles - Web Search

[PDF] [Multidrug resistance genes in infant Acute Lymphoblastic Leukemia](#)

RW Stam, MM van den Heuvel-Eibrink, ML den Boer, ... - Molecular Insights in MLL Rearranged Acute Leukemia, 2004 - publishing.eur.nl